

LEDVANCE POWER THROUGH LIGHT

A STRONG PARTNER IN THE LIGHTING INDUSTRY

LEDVANCE is a prominent player in the lighting industry, known for its innovative lighting products and smart, interconnected lighting solutions. Drawing from our comprehensive understanding of the general illumination market, current technologies, and evolving customer demands, we are committed to meeting the specific needs of both direct and indirect customers.

As a reliable local partner, we take an active role in supporting your efforts to impress customers with high-quality, long-lasting lighting concepts. Our aim is to help boost your lighting sales by offering attractive, user-friendly, and intelligent products.

Together, we can collaboratively shape the future of light – with agility, courage, speed, and flexibility. Join us on this journey as we pave the way towards a brighter tomorrow.

OUR STRENGTHS ARE YOUR ADVANTAGE



COOPERATIVE

As a dedicated and collaborative partner, LEDVANCE boasts a vast, worldwide sales team and over a century of experience, ensuring we stand by your side at all times.



JNIQUE

Fresh, dynamic, high-quality and bold – we know at an early stage what interests customers and where lighting trends are heading. LEDVANCE is unmistakably LEDVANCE.



VERSATILE

Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.



INNOVATION MEETS TRADITION

We embody progress and the passion to shape the future of lighting actively. By blending our courage to explore new paths with our experience from more than 100 years of lighting expertise, we lead the way forward.



SALES-BOOSTING

Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.



ALL IN ONE

At LEDVANCE, we've got everything you need from a single source – LED luminaires, lamps, and Smart Home products. We offer you a wide range of innovative and market-driven solutions, setting new trends along the way.



CARING


We are committed to contributing to a greener planet by reducing CO_2 emissions and waste through sustainable products, solutions and processes. We empower our customers to use light more efficiently to save energy and reduce their environmental footprint.



FIRST-CHOICE PARTNER

As the perfect strategic ally, we offer an extensive portfolio, a robust sales network, and unparalleled global market access to fulfill all your requirements.

GLOBAL PRESENCE





CONTENT

LEDVANCE POWER THROUGH LIGHT	2
PRODUCTS	
- SMART ⁺ MAGIC PANEL LUMINAIRES	8
- SMART ⁺ CEILING LUMINAIRES	10
- SMART ⁺ MOOD LIGHTS	12
- SMART ⁺ TABLE LUMINAIRE	14
- SMART ⁺ FLOOR LUMINAIRES	16
- SMART ⁺ HDMI SYNCH KIT	18
- LED STRIPS WITH COB TECHNOLOGY	20
- LED STRIPS WITH AUDIO CONTROL	22
- LED STRIPS WITH REMOTE CONTROL	24
- LED STRIPS AS TV-BACKLIGHTING	26
POS CONCEPTS	28
GLOSSARY	30



ENTERTAINMENT LUMINAIRES

Entertainment at its best with lights in colors and sounds. We inspire creativity with our entertainment products. Whether in the living room, in the yoga area or in the private gaming cabin: Joy, emotion and fun through color and light.

Whether white, colorful, steady or synchronized to your music, with LEDVANCE entertainment products you can create lighting scenarios for your needs and enjoyment. Lighting accents create the desired atmosphere in strips, on the ceiling or in a shelf.

Flexible, variable and full of surprises, our products are long-lasting and energy-efficient. Controlled by remote, app or voice, some move to the beat of your music or connect directly via HDMI to stay in sync with your entertainment devices.






SMART⁺ MAGIC PANEL LUMINAIRES

Understatement in design – yet a magical experience. Our panel luminaires with dynamic RGB colored light effects.

- Our panel lights are dimmable and have a dynamic white light function to create the right atmosphere. It also offers magic RGB color light function.
- Long lifetime: The panel luminaire has a long lifetime of up to 30,000 hours. From 14 watts and 1100 lumens, it has a solid light output and is energy efficient.
- App and voice control: Easy to control via WiFi remote, app or voice control in combination with a compatible smart home system.
- Instant and flexible use: The ceiling light can be installed quickly and easily.
- IP20 protection class: Suitable for living rooms, hobby rooms or teen rooms. This protection class provides finger protection for components with voltage.







Product name	IP		X DINGL.	LED MODULE INTERNATIO	CON- NECTOR TYPE	(mm) (mm)		h _[mm]		
Smart ⁺ Wifi Planon Magic 300 x 300 mm	IP20	100 000		Not replaceable	Terminal, 3-Pole (L, N, PE)	295	295	60	3	
Smart ⁺ Wifi Planon Magic 450 x 450 mm	IP20	100 000		Not replaceable	Terminal, 3-Pole (L, N, PE)	445	445	60	3	
Smart ⁺ Wifi Planon Magic 1200 x 300 mm	IP20	100 000	-	Not replaceable	Terminal, 3-Pole (L, N, PE)	1 195	295	60	3	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





works

alexa


works with LEDVANCE app



Product color



Product sizes (in mm)



ø490






Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im 4	K	CRI	
SMART ⁺ Wifi Orbis ZEST RGB 500 mm Black	4099854 090288	1	Black	Steel	50 000	38	1 050	3 800	27006500	>80	120
SMART ⁺ Wifi Orbis ZEST RGB 500 mm White	4099854 090301	2	White	Steel	50 000	38	1 050	3 800	27006500	>80	120

works with Hey Google WIFI


Product name	IP		X Noch.	LED MODULE INTERACTO	CON- NECTOR TYPE	h [mm]	Ø d [mm]	6
SMART ⁺ Wifi Orbis ZEST RGB 500 mm Black	IP20	25000	_	Not replaceable	Terminal, 3-Pole (L, N, PE)	100	490	4
SMART + Wifi Orbis ZEST RGB 500 mm White	IP20	25000		Not replaceable	Terminal, 3-Pole (L, N, PE)	100	490	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser

SMART⁺ MOOD LIGHTS Set the mood. It's your home. With our mood lights, there's a tone for every occasion. In great shape: Ball-shaped mood light with dimming function. - Elegant glass finish for a premium look and vibrant lighting - RGB color with two light sources for magical, dynamic lighting effects and white light. - Smart and easy: controllable with app and voice assistant. - Ready to use: easy and quick installation. - Extremely flexible: USB connector for convenient placement. - IP20 protection class: Suitable for living, hobby, play and entertainment areas. This protection class provides finger protection for live components. 12











Product name	IP		X Noch.	LED MODULE INTERACTO	CON- NECTOR TYPE	[mm]	Ø d [mm]	
SMART ⁺ WIFI BALL MINI MGC RGBW USB	IP20	50 000	_	Not replaceable	Plug A	138	130	8
SMART ⁺ WIFI BALL MGC RGBW USB	IP20	50 000	-	Not replaceable	Plug A	206	200	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser

SMART+ TABLE LUMINAIRE Bring playful effects into your home. Get creative with our SMART⁺ audio-controlled table entertainment luminaire. Have fun in many ways: This smart and compact table luminaire is dimmable and features adjustable white as well as RGB color selection. Always the right color for your mood, and most importantly, it comes with Music Rhythm Function: music and light dance in sync. This product has a long lifetime of up to 30,000 hours. With 8W and 480lm, this energy-efficient luminaire produces amazing lighting effects. - Controllable via WiFi remote, app or voice assistant such as Google Nest or Alexa, requires compatible smart home system. The SMART⁺ table entertainment luminaire can be installed super fast and really easy, fits into any corner and creates surprising lighting accents in your room. - IP20 protection class: Suitable for living rooms, meeting rooms and conference rooms. This protection class provides finger protection for components with voltage.



Product color









Product name	IP		X Not.	LED MODULE INTERACTIO	CON- NECTOR TYPE	[mm]	(mm)	h [mm]		
SMART ⁺ Wifi Mood Light Bar RGB+TW	IP20	15 000	_	Not replaceable	Plug type C (EU)	90	60	280	8	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser




































GTIN (EAN)	No.	COLOR	MATERIAL	t [h] 2	W	оптьпт 3	LIGHT SOURCE 4	K	CRI
4099854 096495	1	Black	Metal	50 000	24	1 000	2 320	2700	>80
4099854 096518	2	Black	Metal	50 000	24	850	1 750	27005000	>80
4058075 665880	3	Black	Aluminum	30 000	12	200	825	30006500	>80
4058075 765078	3	Black	Aluminum Plastic	30 000	14	350	1 170	27006500	>80
4058075 765092	3	White	Aluminum Plastic	30 000	14	550	1 170	27006500	>80
4058075 765115	3	Black	Aluminum Plastic	30 000	20	550	1 710	27006500	>80
4058075 765139	3	White	Aluminum Plastic	30 000	20	700	1 710	27006500	>80
4058075 765177	4	Black	Aluminum Plastic	30 000	8	180	540	27006500	>80
4058075 765153	4	White	Aluminum Plastic	30 000	8	280	540	27006500	>80
4058075 765191	5	Black	Aluminum Plastic	30 000	14	350	1 170	27006500	>80
4058075 765214	5	White	Aluminum Plastic	30 000	14	550	1 170	27006500	>80
	4099854096495 4099854096518 4058075665880 4058075765078 4058075765092 4058075765115 4058075765139 4058075765177 4058075765153 4058075765191	4099854096495 1 4099854096518 2 4058075665880 3 4058075765078 3 4058075765092 3 4058075765115 3 4058075765117 4 4058075765153 4 4058075765153 4	4099854096495 1 Black 4099854096518 2 Black 4058075765078 3 Black 4058075765092 3 White 4058075765115 3 Black 4058075765139 3 White 4058075765177 4 Black 4058075765153 4 White 4058075765153 5 Black	A099854096495 1 Black Metal	A099854096495 1 Black Metal 50 000	A099854096495 1 Black Metal 50 000 24	A099854096495 1 Black Metal 50 000 24 1 000	4099854096495 1 Black Metal 50 000 24 1000 2320 4099854096518 2 Black Metal 50 000 24 850 1750 4058075665880 3 Black Aluminum 30 000 12 200 825 4058075765078 3 Black Aluminum Plastic 30 000 14 350 1170 4058075765092 3 White Aluminum Plastic 30 000 14 550 1170 4058075765115 3 Black Aluminum Plastic 30 000 20 550 1710 4058075765139 3 White Aluminum Plastic 30 000 20 700 1710 4058075765177 4 Black Aluminum Plastic 30 000 8 180 540 4058075765153 4 White Aluminum Plastic 30 000 8 280 540 4058075765191 5 Black Aluminum Plastic 30 000 8 280 540	4099854096495 1 Black Metal 50 000 24 1000 2320 2700 4099854096518 2 Black Metal 50 000 24 850 1750 27005000 4058075665880 3 Black Aluminum Plastic 30 000 12 200 825 30006500 4058075765078 3 Black Aluminum Plastic 30 000 14 350 1170 27006500 4058075765092 3 White Aluminum Plastic 30 000 14 550 1170 27006500 4058075765115 3 Black Aluminum Plastic 30 000 20 550 1710 27006500 4058075765139 3 White Aluminum Plastic 30 000 20 700 1710 27006500 4058075765177 4 Black Aluminum Plastic 30 000 8 180 540 27006500 4058075765153 4 White Aluminum Plastic 30 000 8 280 540 27006500 4058075765151 5 Black Aluminum Plastic 30 000 8 280 540 27006500

^{* 4099854096518 | ** 4099854096495; 4058075765078; 4058075765092; 4058075765115; 4058075765139; 4058075765177; 4058075765153; 4058075765191; 4058075765214 | *** 4099854096518; 4058075665880; 4058075765078; 4058075765092; 4058075765139; 4058075765139; 4058075765139; 4058075765191; 4058075765191; 4058075765214 | **** 4058075765078; 4058075765092; 4058075765139; 4058075765139; 4058075765139; 4058075765191; 4058075765214}

4 Total luminous flux of the contained light sources without the diffuser

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser







	IP		X NCL.	LED MODULE MINOAVED	CON- NECTOR TYPE	[mm]	W [mm]	(h _[mm]	Ø d [mm]	a	
110	IP20	25 000	-	Not replaceable	Plug, EU	240	240	1745		3	
110	IP20	25 000	-	Not replaceable	Plug, EU			1 780	251	2	
110	IP20	15 000	-	Not replaceable	Plug type C (EU)	1 420	110	72		6	
120	IP20	15 000	-	Not replaceable	Plug type C (EU)	365	365	1 400		4	
120	IP20	15 000	-	Not replaceable	Plug type C (EU)	365	365	1 400		4	
120	IP20	15 000	-	Not replaceable	Plug type C (EU)	465	465	2000		6	
120	IP20	15 000	-	Not replaceable	Plug type C (EU)	465	465	2000		6	
120	IP20	15 000	-	Not replaceable	Plug type C (EU)			800	80	6	
120	IP20	15 000	-	Not replaceable	Plug type C (EU)			800	80	6	
120	IP20	15 000	-	Not replaceable	Plug type C (EU)			1 400	200	4	
120	IP20	15 000	-	Not replaceable	Plug type C (EU)			1 400	200	4	



SMART⁺ HDMI SYNCH KIT

Put your TV in the right light.

Featuring HDMI Sync LED Strip with WiFi technology and Magic RGB for light color and frequency synchronized to the TV picture.

- Simply synchronize the Smart Flex Strip with the content on your TV screen. Hocus pocus – magic.
- Dimmable, RGB color control with approximately 16 million color options.
- DIY function: Light color can be adjusted on a per-segment basis to create custom lighting scenes or use pre-existing lighting scenes.
- Perfect for home entertainment and your gaming area.
- Easy to install with everything you need: Includes sync and control box.
- IP20 protection class: suitable for indoor spaces.



Product color

Product sizes (in mm)

10

4 340





Product name	IP		X NINCL.	LED MODULE INTERATED	CON- NECTOR TYPE	[mm]	(mm)	h [mm]		
SMART ⁺ HDMI Sync Kit	IP20	25 000	-	Not replaceable	Plug type C (EU)	4340	10	3	4	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





Product color



1 500

5 000























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	оптрит 3	Im 4	K	CRI	
Flex COB 1.5M 3000K	4099854 095245	1	Yellow	Silicone	30 000	7.5	630	630	3 000	≥80	170
Flex COB 5M 3000K	4099854 095269	1	Yellow	Silicone	30 000	24.0	2100	2100	3 000	≥80	170
Flex COB 1.5M TW + RC	4099854 095207	1	Yellow	Silicone	30 000	13.0	510	510	27006500	≥80	170
Flex COB 5M TW + RC	4099854 095221	1	Yellow	Silicone	30 000	35.0	1700	1 700	27006500	≥80	170

Product name	IP		X Noct.	LED MODULE ENTERATED	CON- NECTOR TYPE	[mm]	W	h [mm]	
Flex COB 1.5M 3000K	IP20	15 000	-	Not replaceable	Plug type C (EU)	1 500	8	1.6	16
Flex COB 5M 3000K	IP20	15 000	_	Not replaceable	Plug type C (EU)	5 000	8	1.6	16
Flex COB 1.5M TW + RC	IP20	15 000	-	Not replaceable	Plug type C (EU)	1 500	10	1.8	3
Flex COB 5M TW + RC	IP20	15 000	-	Not replaceable	Plug type C (EU)	5 000	10	1.8	8

^{* 4099854095245; 4099854095269 | ** 4099854095207; 4099854095221}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



strips will join you. With the help of integrated voice receivers,

Easy installation: extremely easy and quick installation for

 IP20 protection class: suitable for indoor spaces. This protection class provides finger protection for components

voice receiver makes the light respond to sounds and music.

 The color of the LED strip matches the color of the TV screen detected by its camera sensor. The built-in

Versatile use: gaming & entertainment areas,
TV environment, children's or teenager's room.
The LED strip has a long lifetime. This, together with its energy efficiency, makes this product sustainable

while providing good light intensity.

immediate use.


with voltage.

the light reacts to sound and music.



Product color

Product sizes (in mm)



0000000000000 5 000























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	th) ²	W	Im 3	LIGHT SOURCE 4	K	CRI	
Flex Audio Voice Receiver 3M RGB + RC	4099854 095382	1	White	Polyurethane (PU)	25 000	12.5					120
Flex Audio Voice Receiver 5M RGB + RC	4099854 095405	1	White	Polyurethane (PU)	25 000	20.0	_	-	-	_	120
Flex Audio TV Voice Receiver 2M RGB	4099854 095368	1	White	Polyurethane (PU)	25 000	3.6			-	-	120
Flex Audio TV Voice Receiver 2M RGB Color Sensor USB	4099854 095283	1	White	Polyurethane (PU)	25 000	1.8	_	_	_	_	120

Product name	IP		X O	MODULE SCHOOLING	CON- NECTOR TYPE	[mm]	b	h		
Flex Audio Voice Receiver 3M RGB + RC	IP20	10 000		Not replaceable	Plug type C (EU)	3 000	10	3.0	8	
Flex Audio Voice Receiver 5M RGB + RC	IP20	10000	_	Not replaceable	Plug type C (EU)	5 000	10	3.0	8	
Flex Audio TV Voice Receiver 2M RGB	IP20	10000	-	Not replaceable	USB	2 000	10	3.0	24	
Flex Audio TV Voice Receiver 2M RGB Color Sensor USB	IP20	10 000	-	Not replaceable	USB	2 000	10	2.6	8	

^{* 4099854095368; 4099854095283 | ** 4099854095382; 4099854095405}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





Product color

















Product name	GTIN (EAN)	No.	COLOR	MATERIAL	th 2	W	lm 3	Im ught source	K	CRI	
Flex 3M RGB + RC	4099854 095429	1	White	Polyurethane (PU) Plaster	25 000	10	780	780	3 000	≥80	120
Flex 5M RGB + RC	4099854 095443	1	White	Polyurethane (PU) Plaster	25 000	14	1 300	1 300	3 000	≥80	120

Product name	IP		X INCL.	LED MODULE INTRAVED	CON- NECTOR TYPE	[mm]	W	th [mm]		
Flex 3M RGB + RC	IP20	10 000	_	Not replaceable	Plug type C (EU)	3 000	10	2	20	
Flex 5M RGB + RC	IP20	10 000	-	Not replaceable	Plug type C (EU)	5 000	10	2	8	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



Get creative: Colorful indoor LED strips with remote control and RGB color control

- Ready for immediate use: quick and easy installation.
- Complete mounting and connection accessories included in the scope of delivery.
- Connection type: USB plug
- IP20 protection class: suitable for indoor spaces. This
 protection class provides finger protection for components
 with voltage.





Product color



1 500















Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _[h] ²	W	оцтрит 3	LIGHT SOURCE 4	K	CRI	
Flex TV Mood Light 3500K USB	4058075 666894	1	White	Polyurethane (PU)	15 000	2.7	110	200	3 500	>80	120
Flex TV Mood Light RGB USB + RC	4058075 666917	2	White	Polyurethane (PU)	15 000	4.2	-	-	RGB	>80	120

Product name	IP		X Not.	LED MODULE hottopatto	CON- NECTOR TYPE	[mm]	W	h [mm]		
Flex TV Mood Light 3500K USB	IP20	7 500	_	Not replaceable	USB	1 500	8	2.9	16	
Flex TV Mood Light RGB USB + RC	IP54	7 500	-	Not replaceable	USB	1 500	10	2.8	100	

^{* 4058075666917}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



With ready-made packages, you can offer your customers a large variety of well-designed and individual entertainment light solutions. These intelligent product combinations will increase the attractiveness of your products significantly. This is an affordable, high quality offer for unique and exciting entertainment solutions for your customers.



ATTRACTIVE SHELF DESIGN

A shelf full of ready-made incentives. See a variety of well-engineered and customized entertainment packages.

Our shelfs are eye-catching and perfectly designed to meet the needs of target audiences. Product-specific details and features are presented in a clear and intuitive style to make the broad variety of our entertainment portfolio intuitively understandable for your customers.



COMPACT DISPLAYS

Attractive, informative and space-saving. The majority of our displays are made of wood for a top-quality product presentation that is completely designed to meet your needs.

SYMBOLS IN THE TABLES



PRODUCT-SPECIFIC SYMBOLS

Beam angle in degrees °



PRODUCT-SPECIFIC SYMBOLS



Open cable, 1 m in length

IP44

Protection class 44



ABOUT LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.

LEDVANCE GmbH Parkring 1-5 85748 Garching Germany

Customer Service Centre: kundenservice.retail@ledvance.com

Germany:

Phone: +49 89 780673-670

