

# LEDVANCE POWER THROUGH LIGHT

## A STRONG PARTNER IN THE LIGHTING INDUSTRY

LEDVANCE is a prominent player in the lighting industry, known for its innovative lighting products and smart, interconnected lighting solutions. Drawing from our comprehensive understanding of the general illumination market, current technologies, and evolving customer demands, we are committed to meeting the specific needs of both direct and indirect customers.

As a reliable local partner, we take an active role in supporting your efforts to impress customers with high-quality, long-lasting lighting concepts. Our aim is to help boost your lighting sales by offering attractive, user-friendly, and intelligent products.

Together, we can collaboratively shape the future of light – with agility, courage, speed, and flexibility. Join us on this journey as we pave the way towards a brighter tomorrow.

### OUR STRENGTHS ARE YOUR ADVANTAGE



### COOPERATIVE

As a dedicated and collaborative partner, LEDVANCE boasts a vast, worldwide sales team and over a century of experience, ensuring we stand by your side at all times.



#### JNIQUE

Fresh, dynamic, high-quality and bold – we know at an early stage what interests customers and where lighting trends are heading. LEDVANCE is unmistakably LEDVANCE.



#### **VERSATILE**

Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.



### **INNOVATION MEETS TRADITION**

We embody progress and the passion to shape the future of lighting actively. By blending our courage to explore new paths with our experience from more than 100 years of lighting expertise, we lead the way forward.



#### SALES-BOOSTING

Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.



#### **ALL IN ONE**

At LEDVANCE, we've got everything you need from a single source – LED luminaires, lamps, and Smart Home products. We offer you a wide range of innovative and market-driven solutions, setting new trends along the way.



#### CARING


We are committed to contributing to a greener planet by reducing  $\mathrm{CO}_2$  emissions and waste through sustainable products, solutions and processes. We empower our customers to use light more efficiently to save energy and reduce their environmental footprint.



#### FIRST-CHOICE PARTNER

As the perfect strategic ally, we offer an extensive portfolio, a robust sales network, and unparalleled global market access to fulfill all your requirements.

### **GLOBAL PRESENCE**







### CONTENT

LEDVANCE POWER THROUGH LIGHT	2
PRODUCTS	
LED STRIPS INDOOR	6
- SMART <sup>+</sup> WIFI LED STRIPS	8
- SMART <sup>+</sup> ZIGBEE LED STRIPS	10
- COB LED STRIPS	12
- (NEON) LED STRIPS	14
LED STRIPS OUTDOOR	16
- SMART <sup>+</sup> WIFI LED STRIPS	18
- SMART <sup>+</sup> ZIGBEE LED STRIPS	20
- COB LED STRIPS	22
- NEON LED STRIPS	24
POS CONCEPTS	26
GLOSSARY	28

## LED STRIPS INDOOR

Revolutionize your lighting design with LEDVANCE LED Strips – effortless to plan, seamless to combine, and easy to install.

Our LED strips offer a wide range of white light options. Dynamically Tunable White, RGBW and RGB solutions expand your creative palette. The NEON LED strips elevate the color experience to a new level while illuminating rooms brightly and homogeneously. The innovative COB technology creates a seamless and uniformly bright light line eliminating visible light spots. And then there's the magic – the MAGIC RGB function allows segment-by-segment color control of the strips for a unique color experience.

Experience quality and versatility in one package. The LEDVANCE LED strip system enables you to effortlessly tackle a diverse range of lighting tasks. Manufactured with precision, our components fit seamlessly together and offer flexibility, reliability and ease of use. Pre-wired on both ends, flexible lengths and easy customization – the LEDVANCE LED Strip System adapts to your needs.

Our SMART<sup>+</sup> LED strip systems can be easily controlled via app, voice assistant or remote control (depending on the selected technology), giving you the ability to control your lighting atmosphere from the couch, the car, or the Caribbean.





### SMART<sup>+</sup> WIFI LED STRIPS

Elevating the lighting experience: Dimmable, long-lasting, and app-controlled – Shaping the future of indirect illumination!

- Versatile: 1m, 2m, 3m or 5m lengths with dimmable and/or individually adjustable MAGIC RGB light effects.
- Long lifetime: Energy efficiency and a lifetime up to 30,000 hours make this product sustainable while offering a good luminous intensity.
- App & voice control: Convenient control via app, voice assistants, or WiFi remote.
- Instant & flexible use: Installing the LED strips is effortless and takes just moments.
- IP20 protection class: suitable for indoor spaces.







Product sizes (in mm)



1 000



2 000

































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	th) <sup>2</sup>	W	<b>lm</b> 3	Im 4	K	CRI	
SMART <sup>+</sup> Wifi Flex 2M RGB + TW	4058075 <b>515932</b>	1	Transparent	Silicone	30 000	8.5	640	720	27006500	>80	110
SMART <sup>+</sup> Wifi Flex EXT 1M RGB + TW	4058075 <b>523838</b>	1	Transparent	Silicone	30 000	3.6	320	360	27006500	>80	110
SMART <sup>+</sup> Wifi Flex Magic RGB 3M + RC	4099854 <b>095115</b>	1	White	Polyurethane (PU)	30 000	15.5	_	_	_	_	120
SMART <sup>+</sup> Wifi Flex Magic RGB 5M + RC	4099854 <b>095146</b>	1	White	Polyurethane (PU)	30 000	24.0	-	-	-	-	120

Product name	IP		X Noc.	LEO MODULE ROSSONITO	CON- NECTOR TYPE	[mm]	W [mm]	h		
SMART <sup>+</sup> Wifi Flex 2M RGB + TW	IP20	15 000		Not replaceable	Plug type C (EU)	2 000	10	2.6	4	
SMART <sup>+</sup> Wifi Flex EXT 1M RGB + TW	IP20	15 000	-	Not replaceable	Plug type C (EU)	1 000	10	2.6	4	
SMART <sup>+</sup> Wifi Flex Magic RGB 3M + RC	IP20	15 000	-	Not replaceable	Plug type C (EU)	3 000	10	3.0	4	
SMART <sup>+</sup> Wifi Flex Magic RGB 5M + RC	IP20	15 000	_	Not replaceable	Plug type C (EU)	5 000	10	3.0	4	

<sup>\* 4058075515932; 4058075523838 | \*\* 4099854095115; 4099854095146</sup> 

<sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



## SMART<sup>+</sup> ZIGBEE LED STRIPS

Just like magic – the SMART<sup>+</sup> Zigbee LED strips transform light into an interactive experience!

- Versatile: Choose from various expandable lengths, individually adjustable color temperatures, and around 16 million different color possibilities through RGB color control.
- Long lifetime: Energy efficiency and a lifetime up to 30,000 hours make this product sustainable while offering a good luminous intensity.
- App & voice control: Convenient wireless control technology via a smart home system or the SMART<sup>+</sup> LEDVANCE App.
- Instant & flexible use: Installing these LED strips is quick and easy with the self-adhesive tape.
- IP20 protection class: suitable for indoor spaces.





#### Product sizes (in mm)





1 800

SMART<sup>+</sup> ZB FLEX 3P RGB + TW



>80

>80

120

2000...6500



Plastic

30 000

11

700

920

Transparent

Transparent

Product name	IP		INCL.	LED MODULE MISSAUTE	CON- NECTOR TYPE	[mm]	W	[mm]		
SMART <sup>+</sup> ZB FLEX 2P EXT RGB + TW	IP20	15 000	_	Not replaceable	_	1 200	12	3.0	4	
SMART <sup>+</sup> ZB FLEX 3P RGB + TW	IP20	15 000	_	Not replaceable	Plug type C (EU)	1 800	12	3.0	4	

<sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





Product color



Product sizes (in mm)

1 500







4099854 <b>095245</b>	1	Yellow	Silicone	30 000	7.5	630	630	3 000	≥80	170
4099854 <b>095269</b>	1	Yellow	Silicone	30 000	24.0	2100	2100	3 000	≥80	170
4099854 <b>095207</b>	1	Yellow	Silicone	30 000	13.0	510	510	27006500	≥80	170
4099854 <b>095221</b>	1	Yellow	Silicone	30 000	35.0	1 700	1 700	27006500	≥80	170
	4099854 <b>095269</b> 4099854 <b>095207</b>	4099854 <b>095269</b> 1 4099854 <b>095207</b> 1	4099854 <b>095269</b> 1 Yellow 4099854 <b>095207</b> 1 Yellow	4099854 <b>095269</b> 1 Yellow Silicone 4099854 <b>095207</b> 1 Yellow Silicone	4099854095269         1         Yellow         Silicone         30 000           4099854095207         1         Yellow         Silicone         30 000	4099854095269         1         Yellow         Silicone         30 000         24.0           4099854095207         1         Yellow         Silicone         30 000         13.0	4099854095269         1         Yellow         Silicone         30 000         24.0         2100           4099854095207         1         Yellow         Silicone         30 000         13.0         510	4099854095269         1         Yellow         Silicone         30 000         24.0         2100         2100           4099854095207         1         Yellow         Silicone         30 000         13.0         510         510	4099854095269         1         Yellow         Silicone         30 000         24.0         2100         2100         3000           4099854095207         1         Yellow         Silicone         30 000         13.0         510         510         27006500	4099854095269     1     Yellow     Silicone     30 000     24.0     2100     2100     3000     ≥80       4099854095207     1     Yellow     Silicone     30 000     13.0     510     510     27006 500     ≥80

Product name	IP		X INCL.	LED MODULE NOTIONALE	CON- NECTOR TYPE	[mm]	(mm)	h [mm]		
Flex COB 1.5M 3000K	IP20	15 000	_	Not replaceable	Plug type C (EU)	1 500	8	1.6	16	
Flex COB 5M 3000K	IP20	15 000	-	Not replaceable	Plug type C (EU)	5 000	8	1.6	8	
Flex COB 1.5M TW + RC	IP20	15 000	-	Not replaceable	Plug type C (EU)	1 500	10	1.8	16	
Flex COB 5M TW + RC	IP20	15 000	-	Not replaceable	Plug type C (EU)	5 000	10	1.8	8	

<sup>\* 4099854095245; 4099854095269 | \*\* 4099854095207; 4099854095221</sup> 

<sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser









Product name	IP		X INCL.	LED MODULE emissions	CON- NECTOR TYPE	[mm]	W	h [mm]		
Neon Flex 2M RGB USB + RC	IP20	10 000	_	Not replaceable	USB type A	2100	12	6.2	12	
Flex 3M RGB 3000K + RC	IP20	10000	-	Not replaceable	Plug type C (EU)	3 000	10	2.0	20	
Flex 5M RGB 3000K + RC	IP20	10 000	_	Not replaceable	Plug type C (EU)	5 000	10	2.0	8	

<sup>\* 4099854095306 | \*\* 4099854095429; 4099854095443</sup> 

<sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser




Enjoy the transformative power of the LEDVANCE LED strip system in a variety of outdoor settings. Plan effortlessly, combine seamlessly, and install easily to bring outdoor dreams to life. The Dynamic Tunable White, RGBW and RGB solutions expand your artistic palette and allow you to paint your outdoor canvas with light. With the introduction of NEON LED strips, an enchanting spectrum of colors ignites at night, creating an atmosphere that captivates.

Experience the harmony of quality and adaptability in a single package. The LEDVANCE LED strip system effortlessly matches your outdoor vision. Exceptional durability and energy efficiency culminate in a product designed to withstand the elements.


Introducing SMART<sup>+</sup> LED strip systems: your key to effortless control. Easily manage your lighting ambiance with a WiFi remote, an app, or even your voice assistant (depending on your chosen technology). LEDVANCE illuminates your outdoor areas in an extraordinary way.



## SMART+ WIFI LED STRIPS Enhancing the outdoor ambiance: SMART<sup>+</sup> WIFI LED Strips with adjustable lighting and RGB effects! - Versatile: Flexible and decorative LED strips with WiFi technology, adjustable from warm to cool white and offering RGB color light. Long lifetime: up to 30,000 hours of life with varying lumen levels and energy efficient LED-technology. - App & voice control: Easily managed through WiFi remote, app, or voice assistant, requiring a compatible smart home system. Easy installation: Immediate and flexible use of the strips. - IP44 protection class: Ideally suited for outdoor use. Protection against moisture through resistance to all-around splash water. 18







Product name	IP		X Noc.	LED MODULE MISSINGTED	CON- NECTOR TYPE	[mm]	W	†h [mm]		
SMART <sup>+</sup> Wifi Outdoor Flex IP44 3M RGB TW	IP44	15 000	_	Not replaceable	Plug type C (EU)	3 000	11.5	4.5	4	
SMART <sup>+</sup> Wifi Outdoor Flex IP44 5M RGB TW	IP44	15000	-	Not replaceable	Plug type C (EU)	5 000	11.5	4.5	4	
SMART <sup>+</sup> Wifi Neon Flex 3M RGB + TW	IP44	15 000	-	Not replaceable	Plug type C (EU)	3 000	17.5	8.8	4	
SMART <sup>+</sup> Wifi Neon Flex 5M RGB + TW	IP44	15 000	-	Not replaceable	Plug type C (EU)	5 000	17.5	8.8	4	

<sup>\* 4058075504783; 4058075504806</sup> 

<sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser

## SMART<sup>†</sup> ZIGBEE LED STRIPS Guiding users safely through the dark: SMART+ Zigbee LED strips for outdoor spaces. - Versatile: Choose from around 16 million different color possibilities through RGB color control and individually adjustable color temperatures. Long lifetime: Energy efficiency and a lifetime up to 20,000 hours make this product sustainable while offering a good luminous intensity. App & voice control: Convenient remote and wireless control technology via a smart home system or the SMART LEDVANCE App. - Instant & flexible use: Installing these LED strips is quick and easy with the self-adhesive tape. IP65 protection class: Ideally suited for outdoor use. Dust-tight and complete protection against touching, as well as protection against moisture through resistance to all-around splash water.






### Product sizes (in mm)








Product name	IP		X PINGL.	LED MODULE MICCONTED	CON- NECTOR TYPE	[mm]	W	h [mm]	
SMART <sup>+</sup> ZB OUTDOOR FLEX RGB + TW	IP65	15 000		Not replaceable	Plug type C (EU)	5 000	12	4.5	4

<sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





Product sizes (in mm)



5 050





Product name	IP		X NINCL.	LED MODULE MESSAITES	CON- NECTOR TYPE	[mm]	W	h [mm]	
Flex COB IP44 3M 3000K	IP44	15 000	_	Not replaceable	Plug type C (EU)	3 000	12	4	8
Flex COB IP44 5M 3000K	IP44	15 000	-	Not replaceable	Plug type C (EU)	5 050	12	4	8

<sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser







Product sizes (in mm)









Product name	GTIN (EAN)	No.	COLOR	MATERIAL	<b>t</b> [b] <sup>2</sup>	W	<b>lm</b> 3	LIGHT SOURCE 4	K	CRI	
N. FI. IRAA MA COORIV	4050075744			0.11.			1000	4.000	0.000		
Neon Flex IP44 3M 3000K  Neon Flex IP44 5M 3000K	4058075 <b>504707</b> 4058075 <b>504721</b>	1		Silicone	30 000	19 29	1 700	1 860 3 100	3000	>80	110
Neon Digital Flex IP44 3M RGB + RC	4058075 <b>504745</b>	2		Silicone	30 000	15	-	-	-	>80	160
Neon Digital Flex IP44 5M RGB + RC	4058075 <b>504769</b>	2	_	Silicone	30 000	23	_	-	_	>80	160

Product name	IP		X INCL.	LEO MODULE MISSENITE	CON- NECTOR TYPE	[mm]	W	th [mm]		
Neon Flex IP44 3M 3000K	IP44	15 000	_	Not replaceable	Plug type C (EU)	3 000	13.5	6.7	4	
Neon Flex IP44 5M 3000K	IP44	15000	-	Not replaceable	Plug type C (EU)	5 000	13.5	6.7	4	
Neon Digital Flex IP44 3M RGB + RC	IP44	15 000	-	Not replaceable	Plug type C (EU)	3 000	13.5	6.7	4	
Neon Digital Flex IP44 5M RGB + RC	IP44	15 000	_	Not replaceable	Plug type C (EU)	5 000	13.5	6.7	4	

<sup>\* 4058075504707; 4058075504721 | \*\* 4058075504745; 4058075504769</sup> 

<sup>1</sup> The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



With ready-made packages, you can offer your customers a large variety of well-designed and individual light solutions. These intelligent product combinations will increase the attractiveness of your products significantly.

This is an affordable, high quality offer for unique lighting solutions for your





#### **ATTRACTIVE SHELF DESIGN**

A shelf full of ready-made incentives. See a variety of well-engineered and customized lighting solutions. Our indoor and out-door flex strip shelf showcases the flexibility and productivity of our products.

The shelf is eye-catching and perfectly designed to meet the needs of target audiences. Product-specific details and features are presented in a clear and intuitive style, divided into indoor and outdoor applications.



### **HOUSE OF SMART**


A home for our SMART<sup>+</sup> products.
Well sorted, with helpful pictures and informations about the control options and specific features.



### **COMPACT DISPLAYS**

Attractive, informative and space-saving.
Our eye-catching displays provide a top-quality product presentation that is completely designed to meet your needs.

### **SYMBOLS IN THE TABLES**



### PRODUCT-SPECIFIC SYMBOLS

Beam angle in degrees °



### **PRODUCT-SPECIFIC SYMBOLS**



Integrated LED module



Inline switch



Mounting height





Motion sensor



Extremely low-profile luminaires





On/off and stepless dimming via infrared sensor



Linkable



Works with remote control



On/off and stepless dimming via touch



Ceiling mounting



Works with LEDVANCE WIFI Remote Control



Lamps not included



Powerbank



With remote control for dimming function



Including high-quality OSRAM branded LED lamp



Tracklight system



With remote control for color changing function



Backlight



Diffuse light



Dimmable at wall switch



Rotatable luminaire heads



Flexible mounting



Color change function at wall switch



Break-proof



Do not throw away with household waste



Control by light switch possible. Automatic pairing time 3 minutes



With solar panel



Works with voice assistants



CRI > 90



Adjustable light temperature



Rechargeable lithium-ion battery included



Adjustable light temperature



Battery included



Sensor range



USB included



Sensor angle



COB LED



On/off automatic



Easy mounting



Day/night sensor



USB charging cable included



Extension low voltage



 $2\ \mathrm{m}$  cable and EU plug



Protection class 44



Open cable, 1 m in length

### **ABOUT LEDVANCE**

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.

LEDVANCE GmbH Parkring 1-5 85748 Garching Germany

Customer Service Centre: kundenservice.retail@ledvance.com

Germany:

Phone: +49 89 780673-670

