

LEDVANCE POWER THROUGH LIGHT

A STRONG PARTNER IN THE LIGHTING INDUSTRY

LEDVANCE is a prominent player in the lighting industry, known for its innovative lighting products and smart, interconnected lighting solutions. Drawing from our comprehensive understanding of the general illumination market, current technologies, and evolving customer demands, we are committed to meeting the specific needs of both direct and indirect customers.

As a reliable local partner, we take an active role in supporting your efforts to impress customers with high-quality, long-lasting lighting concepts. Our aim is to help boost your lighting sales by offering attractive, user-friendly, and intelligent products.

Together, we can collaboratively shape the future of light – with agility, courage, speed, and flexibility. Join us on this journey as we pave the way towards a brighter tomorrow.

OUR STRENGTHS ARE YOUR ADVANTAGE



COOPERATIVE

As a dedicated and collaborative partner, LEDVANCE boasts a vast, worldwide sales team and over a century of experience, ensuring we stand by your side at all times.



VERSATILE

Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.



SALES-BOOSTING

Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.



CARING

We are committed to contributing to a greener planet by reducing CO_2 emissions and waste through sustainable products, solutions and processes. We empower our customers to use light more efficiently to save energy and reduce their environmental footprint.



UNIQUE

Fresh, dynamic, high-quality and bold – we know at an early stage what interests customers and where lighting trends are heading. LEDVANCE is unmistakably LEDVANCE.



INNOVATION MEETS TRADITION

We embody progress and the passion to shape the future of lighting actively. By blending our courage to explore new paths with our experience from more than 100 years of lighting expertise, we lead the way forward.



ALL IN ONE


At LEDVANCE, we've got everything you need from a single source – LED luminaires, lamps, and Smart Home products. We offer you a wide range of innovative and market-driven solutions, setting new trends along the way.



FIRST-CHOICE PARTNER

As the perfect strategic ally, we offer an extensive portfolio, a robust sales network, and unparalleled global market access to fulfill all your requirements.

GLOBAL PRESENCE







CONTENT

LEDVANCE POWER THROUGH LIGHT	2
PRODUCTS	
SMART ⁺ BATHROOM LUMINAIRES	6
- SMART ⁺ WIFI ORBIS DISC	3
- SMART ⁺ WIFI ORBIS WALL DUPLO	10
- SMART ⁺ WIFI ORBIS WALL ROUND	12
- SMART ⁺ WIFI ORBIS WALL WAVE	14
- SMART ⁺ WIFI ORBIS WALL ELYPSE	16
- SMART ⁺ WIFI ORBIS WALL BATH	18
- SMART ⁺ WIFI ORBIS WALL AQUA	20
DECOR BATHROOM LUMINAIRES	22
- DECOR SQUARE IP44	22
BATHROOM LUMINAIRES	24
– LED BATHROOM MIRROR CLICK-CCT	24
- LED BATHROOM CEILING CLICK-CCT	26
POS CONCEPTS	28
GLOSSARY	30













Product colors








































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	оптрит 3	Im 4	K	
SMART ⁺ Wifi Orbis Disc IP44 300mm TW	4058075 573598	1	Silver	Aluminum	30 000	18	1 400	2100	3 0006 500	110
SMART ⁺ Wifi Orbis Disc IP44 400mm TW	4058075 573611	2	White	Aluminum	30 000	25	1 900	3 200	30006500	110
SMART ⁺ Wifi Orbis Disc IP44 500mm TW	4058075 573635	3	Black	Aluminum	30 000	32	2700	4000	30006500	110


Product name	IP		X NGL.	LED MODULE ACCOUNTS	CON- NECTOR TYPE	[mm]	b	h [mm]	Ø d [mm]	
SMART ⁺ Wifi Orbis Disc IP44 300mm TW	IP44	15 000	_	Not replaceable	Screw terminal	_	_	47	300	4
SMART ⁺ Wifi Orbis Disc IP44 400mm TW	IP44	15 000	_	Not replaceable	Screw terminal	_	-	47	400	4
SMART ⁺ Wifi Orbis Disc IP44 500mm TW	IP44	15 000	_	Not replaceable	Screw terminal	_	_	47	500	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser









Product name	IP		X PINCL.	MODULE MODULE MODULE	CON- NECTOR TYPE		b	h [mm]	Ø d [mm]	1
SMART ⁺ Wifi Orbis Wall Duplo IP44 300mm TW	IP44	15 000	_	Not replaceable	Screw terminal	295	60	58	_	4
SMART ⁺ Wifi Orbis Wall Duplo IP44 450mm TW	IP44	15 000	_	Not replaceable	Screw terminal	445	60	58	-	4
SMART ⁺ Wifi Orbis Wall Duplo IP44 580mm TW	IP44	15 000	-	Not replaceable	Screw terminal	575	60	58	_	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser









Product colors





Product sizes (in mm)





























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	оштрит 3	Im LIGHT SOURCE	K	
SMART ⁺ Wifi Orbis Wall Round IP44 300mm TW	4058075 573741	1	Silver	Steel	30 000	18	1100	1 800	30006500	110
SMART+ Wifi Orbis Wall Round IP44 480mm TW	4058075 573727	2	Silver	Steel	30 000	18	1 200	1 800	30006500	110

Product name	IP		X Not.	LEO MODULE MOSCONTE	CON- NECTOR TYPE	[mm]	b [mm]	h	Ø d [mm]	
SMART ⁺ Wifi Orbis Wall Round IP44 300mm TW	IP44	15 000	-	Not replaceable	Screw terminal	-	-	78	300	4
SMART ⁺ Wifi Orbis Wall Round IP44 480mm TW	IP44	15 000	-	Not replaceable	Screw terminal	480	100	78	-	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser

















































Frouder name	CTIN (CAN)	No.	COLOR	MATERIAL	t _[h] ²	W	острит	LIGHT SOURCE 4	K	
SMART ⁺ Wifi Orbis Wall Wave IP44 200mm TW	4058075 573772	1	Silver	Metal/Plastic (PMMA)	30 000	8	400	700	30006500	IP44
SMART ⁺ Wifi Orbis Wall Wave IP44 320mm TW	4058075 573802	2	Silver	Metal/Plastic (PMMA)	30 000	15	800	1 400	30006500	IP44
SMART ⁺ Wifi Orbis Wall Wave IP44 520mm TW	4058075 573857	3	Silver	Plastic (PMMA)	30 000	21	1100	2100	30006500	IP44
CMART+ Wifi Orbic Wall Wave IRAA 200v200mm TW	4059075 573001	1	Silvor	Plactic (PMMA)	30,000	26	1500	2 800	2000 6500	IDAA

Product name	IP		X NCL.	LED MODULE MICCONTO	CON- NECTOR TYPE	[mm]	b [mm]	[mm]	Ø d [mm]	
SMART ⁺ Wifi Orbis Wall Wave IP44 200mm TW	IP44	15 000		Not replaceable	Screw terminal	200	120	93	_	4
SMART ⁺ Wifi Orbis Wall Wave IP44 320mm TW	IP44	15 000	-	Not replaceable	Screw terminal	320	120	93	-	4
SMART ⁺ Wifi Orbis Wall Wave IP44 520mm TW	IP44	15 000	-	Not replaceable	Screw terminal	520	120	93	_	4
SMART ⁺ Wifi Orbis Wall Wave IP44 300x300mm TW	IP44	15 000	_	Not replaceable	Screw terminal	300	300	93	_	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser









Product colors












Product sizes (in mm)



























X

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	оптрит 3	LIGHT SOURCE	K	
SMART ⁺ Wifi Orbis Wall Elypse IP44 120mm TW	4058075 573925	1	Silver	Steel/Glass	30 000	7	400	500	30006500	110
SMART ⁺ Wifi Orbis Wall Elypse IP44 340mm TW	4058075 573963	2	Silver	Steel/Glass	30 000	12	800	1 000	30006500	110
SMART ⁺ Wifi Orbis Wall Elypse IP44 560mm TW	4058075 574076	3	Silver	Steel/Glass	30 000	18	1 200	1 500	30006500	110

Product name	IP		X Prot.	LED MODULE MOGGAVES	CON- NECTOR TYPE	[mm]	b	h [mm]	Ø d [mm]	
SMART ⁺ Wifi Orbis Wall Elypse IP44 120mm TW	IP44	15 000	_	Not replaceable	Screw terminal	120	150	166	_	4
SMART ⁺ Wifi Orbis Wall Elypse IP44 340mm TW	IP44	15 000	_	Not replaceable	Screw terminal	340	88	166	-	4
SMART ⁺ Wifi Orbis Wall Elypse IP44 560mm TW	IP44	15 000	_	Not replaceable	Screw terminal	560	88	166	_	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser






Product colors
































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im LIGHT SOURCE	K	
SMART ⁺ Wifi Orbis Wall Bath IP44 300mm White TW	4058075 574274	1	White	Steel	30 000	13	600	1 200	30006500	110
SMART ⁺ Wifi Orbis Wall Bath IP44 300mm Black TW	4058075 574335	1	Black	Steel	30 000	13	350	1 200	30006500	110
SMART ⁺ Wifi Orbis Wall Bath IP44 400mm White TW	4058075 574236	1	White	Steel	30 000	17	800	1 600	30006500	110
SMART ⁺ Wifi Orbis Wall Bath IP44 400mm Black TW	4058075 574311	1	Black	Steel	30 000	17	550	1 600	30006500	110

Product name	IP		X Noc.	LED MODULE INTERMEDIA	CON- NECTOR TYPE	[mm]	b	h [mm]	Ø d [mm]	
SMART ⁺ Wifi Orbis Wall Bath IP44 300mm White TW	IP44	15 000	_	Not replaceable	Screw terminal	300	70	50	_	4
SMART ⁺ Wifi Orbis Wall Bath IP44 300mm Black TW	IP44	15 000	-	Not replaceable	Screw terminal	300	70	50	_	4
SMART ⁺ Wifi Orbis Wall Bath IP44 400mm White TW	IP44	15 000	_	Not replaceable	Screw terminal	400	70	50	_	4
SMART ⁺ Wifi Orbis Wall Bath IP44 400mm Black TW	IP44	15000	-	Not replaceable	Screw terminal	400	70	50	_	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





works with alexa	works with LEDVANCE app	works with Hey Google	∳ V	VIFI WIFI	SWITCH ON OFF	DIN	i) IP4	44 WA	RM OL 3 year guarantee	X
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t M ²	W	output 3	Im LIGHT SOURCE	K	
SMART ⁺ Wifi Orbis Wall Aqua IP44 Round 200mm TW	4058075 574410	1	White	Steel	30 000	12	850	1 200	30006500	110
SMART ⁺ Wifi Orbis Wall Aqua IP44 200x200mm TW	4058075 574373	2	White	Steel	30 000	12	900	1 200	30006500	110
SMART ⁺ Wifi Orbis Wall Aqua IP44 280x160mm TW	4058075 574359	3	White	Steel	30 000	12	1 000	1 200	30006500	110

Product name	P		X PICL.	LED MODULE ACCOUNTS	CON- NECTOR TYPE	[mm]	<u>b</u>	h [mm]	Ø d [mm]	3
SMART ⁺ Wifi Orbis Wall Aqua IP44 Round 200mm TW	IP44	15 000		Not replaceable	Screw terminal	_		94	200	4
SMART ⁺ Wifi Orbis Wall Aqua IP44 200x200mm TW	IP44	15 000	_	Not replaceable	Screw terminal	200	200	94	_	4
SMART ⁺ Wifi Orbis Wall Aqua IP44 280x160mm TW	IP44	15 000	_	Not replaceable	Screw terminal	280	160	94	_	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser


















































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [b] 2	W	Im 3	LIGHT SOURCE 4	K	
DECOR SQUARE 150X150mm G9 IP44	4058075 756908	1	Black	Steel	_	_	-	_	-	
DECOR SQUARE 350X150mm 2XG9 IP44	4058075 756922	2	Black	Steel	-	-	-	-	-	-
DECOR SQUARE 550X150mm 3XG9 IP44	4058075 756946	3	Black	Steel	-	-	-	-	-	-
DECOR SQUARE PLATE 350X350mm 4XG9 IP44	4058075 756960	4	Black	Steel	-		-	-	-	

Product name	IP		X INCL	LED MODULE MODATE	CON- NECTOR TYPE	[mm]	b	[mm]	Ø d [mm]	
DECOR SQUARE 150X150mm G9 IP44	IP44	_	_	_	_	150	150	175	_	4
DECOR SQUARE 350X150mm 2XG9 IP44	IP44	_	-	-	-	350	150	150	_	4
DECOR SQUARE 550X150mm 3XG9 IP44	IP44	-	-	-	_	550	150	155	-	2
DECOR SQUARE PLATE 350X350mm 4XG9 IP44	IP44	-	_	-		350	350	155	-	2

^{* 4058075756908 | ** 4058075756922 | *** 4058075756946 | **** 4058075756960}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



LED BATHROOM MIRROR CLICK-CCT


Unveil elegance in every reflection. Our versatile bathroom mirror luminaire offers adjustable warm to cold white light, designed to elevate your daily bathroom experience.

- Varied: The bathroom mirror light offers adjustable warm to cold white light via the switch, providing a choice between two color temperatures
- Pleasant light: Features a non-replaceable LED module, ensuring uniform and homogenous light distribution.
- Durable: The light has a long life of up to 30,000 hours while being energy-saving.
- Flexible mounting: Versatile installation on walls or mirrors, ideal for any bathroom due to its modern design.
- IP44 protection: Specifically designed for damp locations like bathrooms, offering splash water ingress protection from all sides.























r	
е	

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t M ²	W	lm 3	Im 4	K	
LED Bathroom Mirror 400mm Black Click-CCT	4099854 096075	1	Black	Aluminum	30 000	7	300	720	30004000	110
LED Bathroom Mirror 400mm Chrome Click-CCT	4099854 096099	1	Chrome	Aluminum	30 000	7	380	720	30004000	110

Product name	IP		X PICL.	LED MODULE MODULE	CON- NECTOR TYPE	[mm]	b	h [mm]	Ø d [mm]	
LED Bathroom Mirror 400mm Black Click-CCT	IP44	30 000	_	Not replaceable	Screw terminal	400	120	70		6
LED Bathroom Mirror 400mm Chrome Click-CCT	IP44	30 000	_	Not replaceable	Screw terminal	400	120	70	-	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser

LED BATHROOM CEILING CLICK-CC Refresh your bathroom ambiance with adjustable warm-to-cool tones from our versatile ceiling luminaire. Varied: The bathroom ceiling luminaire offers adjustable warm to cold white light via the switch, providing a choice between two color temperatures. Pleasant light: Features a non-replaceable LED module, ensuring uniform and homogenous light distribution. Durable: The light has a long life of up to 30,000 hours while being energy-saving. Stylish design: Modern metal bathroom ceiling luminaire with highquality, ultra-slim design, available in two different colors. IP44 protection: Specifically designed for damp locations like bathrooms, offering splash water ingress protection from all sides. 26

























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	оптрит 3	Im 4	K	
LED Bathroom Ceiling 300mm Black Click-CCT	4099854 096112	1	Black	Aluminum/Steel	30 000	18	1150	2 2 0 0	3000 4000	110
LED Bathroom Ceiling 300mm Chrome Click-CCT	4099854 096136	1	Chrome	Aluminum/Steel	30 000	18	1 250	2200	3000 4000	110

Product name	IP		X Not.	LED MODULE RECOUNTS	CON- NECTOR TYPE	[mm]	b	h _[mm]	Ø d [mm]	
LED Bathroom Ceiling 300mm Black Click-CCT	IP44	30 000	-	Not replaceable	Screw terminal	-	-	47	300	4
LED Bathroom Ceiling 300mm Chrome Click-CCT	IP44	30 000	_	Not replaceable	Screw terminal	_	_	47	300	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





ATTRACTIVE SHELF DESIGN

A shelf full of ready-made incentives. See a variety of well-engineered and customized bathroom packages.

Our shelves are eye-catching and perfectly designed to meet the needs of target audiences. Product-specific details and features are presented in a clear and intuitive style to make the broad variety of our bathroom portfolio intuitively understandable for your customers.

SYMBOLS IN THE TABLES



PRODUCT-SPECIFIC SYMBOLS

Beam angle in degrees °



PRODUCT-SPECIFIC SYMBOLS

SMART⁺ App

Adjustable light temperature



Open cable, 1 m in length

Magnetic mounting

31

Turnable light

household waste

Do not throw away with

ABOUT LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.

LEDVANCE GmbH Parkring 1-5 85748 Garching Germany

Customer Service Centre: kundenservice.retail@ledvance.com

Germany:

Phone: +49 89 780673-670

